# INDEX TO VOLUME XXV.

[New generic, specific, and subspecific names are printed in **heavy-faced** type.]


ACANTHIS, 399.
flammea, 395.
linaria, 72, 280, 395, 439.
Acanthopneuste borealis, 398.
borealis kennicottii, 398.
Accipiter atricapillus, 82, 277, 323.
atricapillus striatulus, 433.
cooperi, 213, 417, 433, 441, 452, 458, 464.
velox, 199, 433, 441.
velox rufilatus, 398.
Actitis, 391.
macularia, 59, 70, 179, 198, 417, 432, 458, 463.
Actochelidon, 399.
Actodromas, 366.
acuminata, 366.
bairdii, 70, 178, 234.
fuscicollis, 178, 198, 327, 328.
maculata, 157, 178, 284, 431.
minutilla, 178, 431.
Adams, Charles C., the ecological succession of birds, 109–153.
Æchmophorus clarkii, 352.
occidentalis, 156, 428.
Ægialeus, 391.
Ægialitis meloda, 180.
meloda circumcincta, 180, 352.
nivosa, 180, 484.
semipalmata, 70, 157, 180, 438.
vocifera, 464.
Ægiothus, 399.
Aëronautes melanoleucus, 459.
Æthia, 357.
cristatella, 357.
pusilla, 357.
pygmæa, 357.
Agelaius phœniceus, 60, 202, 280, 419, 466.
phœniceus arctolegus, 29, 72, 398.
phœniceus caurinus, 435.
phœniceus fortis, 28, 466.
phœniceus sonoriensis, 460.
Aix sponsa, 417, 430, 450.
Ajaia ajaia, 173.
Alauda arvensis, 287.
rubescens, 384.
Albatross, Short-tailed, 429.
Alca, 399.
cristatella, 357.
psittacula, 356.
pygmæa, 357.
Alcedo, 399.
guttata, 373.
maxima, 373.
Alcella, 357.
Alle alle, 215.
Allen, Francis H., summer birds of the Green Mountain Region of Southern Vermont, 56–64; *Larus kumlieni* and other northern gulls in the neighborhood of Boston, 296–300.
Allen, Glover M., rare New England birds, 233.
Allen, J. A., the generic names *Mycteria* and *Tantalus* of Linnæus, 1758, 37, 38; the case of *Hortulanus* Vieillot, 223; the case of *Strix* vs. *Aluco*, 288–291; *Columbina* vs. *Chœmepelia*, 301–306.
Allison, Andrew, see Beyer, Geo. E.

Aluco, 288–290.
alba pratincola, 291.
pratincola, 370.
Aluconidæ, 370.
Amazona boqueti, 310, 311.
imperialis, 310, 311.
martinicana, 311.
violaceus, 311.
American Ornithologists' Union, report of Twenty-fifth Stated Meeting, 74–80; adoption by, of Article 30 of the International Code of Zoölogical Nomenclature, 105; notice of work of Committee on Nomenclature, 341; Revised Code of Nomenclature, announced as in press, 341; Fourteenth Supplement to A. O. U. Check-List, 343–399, announcement of Twenty-sixth Stated Meeting, 498.
Ammodramus, 399.
australis, 378.
henslowi, 204.
maritimus fisheri, 395.
maritimus macgillivrayi, 395.
maritimus peninsulæ, 395.
nelsoni, 84, 318, 453, 475.
nelsoni subvirgatus, 319.
Ampelidæ, 381.
Ampelinæ, 354.
Ampelis, 381.
cedrorum, 32, 48, 61, 207, 214, 381, 421, 436.
garrulus, 45–48, 381, 436.
Amphispiza belli canescens, 349.
belli cinerea, 379.
belli nevadensis, 379.
bilineata deserticola, 460, 483.
nevadensis, 379.
nevadensis canescens, 349.
nevadensis cinerea, 379.
Anas bicolor, 362.
boschas, 213, 313, 360, 430, 462.
boschas spilogaster, 398.
circia, 361.
Anas clangula, 362.
ferruginea, 361.
fulva, 262.
labradoria, 362.
marila, 361.
obscura, 361, 450, 462.
obscura rubripes, 283, 352, 361.
platyrhynchos, 360, 457.
querquedula, 361.
rubripes, 361.
vallisneria, 346.
Ani, 443.
Groove-billed, 444.
Anodorhynchus pupurascens, 239.
Anser albifrons gambeli, 70, 80, 431.
brachyrhynchus, 346, 390.
fabalis, 390.
segetum, 390.
Anthus pensylvanicus, 51, 73, 397, 423, 437.
rubescens, 384, 397.
spinoletta pensylvanicus, 397.
spraguei, 33.
Antrostomus, 374.
carolinensis, 418, 479.
vociferus, 418.
Aphelocoma californica, 94.
woodhousei, 460.
Aquila chrysaëtos, 71, 251–268, 323, 433, 442, 464.
fulvus, 267.
heliaca, 267.
niger, 267.
Ara **atwoodi**, 310.
erythrura, 239, 240.
tricolor, 239.
Aramus giganteus, 364.
vociferus, 364.
Archibuteo ferrugineus, 452.
lagopus, 353.
lagopus sancti-johannis, 71, 277, 284, 442.
Ardea duboisi, 240.
egretta, 451, 473.
herodias, 431.
herodias fannini, 438.

Ardea herodias **treganzai**, 291–296, 457.
minuta, 364.
nycticorax, 364.
virescens, 451.
wuerdemanni, 352.
(Dichromanassa) pealei, 352.
Ardetta, 364.
exilis, 174, 451, 463.
Arenaria interpres, 180.
interpres morinella, 368.
melanocephala, 157, 432.
morinella, 157, 368.
Aristonetta, 346.
Arnow, Isaac F., American Woodcock breeding at Saint Marys, Ga., 220; Masked Duck in Chatham County, Ga., 472; American Avocet in Camden Co., Ga., 473; Lark Sparrow in Camden Co., Ga., 476; Bachman's Warbler in Camden Co. and breeding in Chatham Co., Ga., 479; Cape May Warbler in Camden Co., Ga., 417.
Arquatella maritima couesi, 366
maritima ptilocnemis, 366.
Asio, 290, 392.
accipitrinus, 25, 278, 370, 433, 443.
asio, 290.
flammeus, 370.
magellanicus algistus, 347.
magellanicus heterocnemis, 347.
magellanicus icelus, 392.
magellanicus lagophonus, 392.
magellanicus occidentalis, 393.
magellanicus virginianus, 392.
magellanicus wapacuthu, 393.
wilsonianus, 25, 56, 278, 442.
Astragalinus psaltria hesperophila, 460.
tristis, 30, 61, 203, 419.
tristis pallidus, 30.
tristis salicamans, 435.
Astur, 369.
atricapillus, 369.
Astur atricapillus striatulus, 369.
Asyndesmus lewisi, 374.
torquatus, 374, 434, 453.
Atthis, 347.
Audubon, John James, an unpublished letter of, to his family, 166–169; unpublished letters of introduction carried by him on his Missouri River Expedition, 170–173; copper-plates of his 'Birds of America; 401–413; the King Cameos of, 448–450.
Anderson, Rudolph M., an addition to the Birds of Iowa, 215.
Auk, The, index to Vol I–XVII, notice of, 99.
Auklet, Cassin's, 155, 160, 161, 164, 165.
Paroquet, 485.
Rhinoceros, 159, 429.
Tufted, 155.
Auriparus flaviceps, 461.
Avocet, American, 473.
Aythya, 361.
affinis, 438, 463.
americana, 430.
collaris, 234, 438, 463.
marila, 430.
vallisneria, 80, 430, 463.

Bæolophus atricristatus sennetti, 350.
bicolor, 212, 322, 424.
bicolor texensis, 355.
inornatus griseus, 461.
inornatus restrictus, 355.
wollweberi annexus, 397.
Bailey, H. H., Swainson's Warbler and Chuck-will's-widow breeding north of James River, Virginia, 478.
Bangs, Outram, a new name for the Texan Barred Owl, 316; notice of his paper 'On certain Costa Rican Birds,' 334.
Barbour, Robt., a large migration of Hawks, 82.

Bartramia longicauda, 59, 179, 213, 328, 463, 473, 484.
Basileuterus, 354.
bellii, 354.
culicivorus brasherii, 354.
Beal, F. E. L., notice of his 'Birds as Conservators of the Forest,' 95; notice of his 'Birds of California in Relation to Fruit Industry,' Part I, 96.
Beard, Dan, notice of 'Dan Beard's Animal Book and Camp-fire Stories,' 100.
Beebe, C. William, notice of his 'Geographic Variation in Birds with especial reference to the effects of Humidity,' 90–93; notice of his paper on 'Seasonal Changes of Color in Birds,' 335.
Bent, A. C., summer birds of Southwestern Saskatchewan, 25–35.
Bergut, 267.
Berkute, 267.
Beyer, Geo. E., Andrew Allison, and H. H. Kopman, list of the birds of Louisiana, 173–180, 439–448.
Biological Survey, notice of the work of, 246.
Bittern, American, 9, 14, 70, 135, 174, 197, 431, 463.
Least, 15, 174, 451, 463.
Blackbird, Brewer's, 29, 435, 460.
Red-winged, 1, 2, 7, 14, 60, 72, 114, 202, 280, 419, 466, 482.
Rusty, 14, 72, 202, 231, 280.
Thick-billed, 28.
Yellow-headed, 28, 466.
Blasipus, 389.
Blasius, Rudolph, death of, 104; obituary of, 248.
Bluebill, 430.
Bluebird, 1, 7, 10, 14, 64, 88, 94, 191, 213, 424, 467.
Arctic, 454.
Bluebird, Azure, 388.
Mountain, 55.
Western, 94, 438.
Bluethroat, Red-spotted, 226.
Bobolink, 3, 9, 15, 28, 60, 186, 202, 222, 280, 335, 419, 493.
Bob-white, 59, 198, 417, 432, 439, 464.
Bocage, J. V. Barboza du, obituary of, 496.
Bombycilla, 381.
Bombycillidæ, 381.
Bonasa, 391, 392.
umbellus, 59, 198, 286, 464.
umbellus sabini, 432.
umbellus togata, 71, 432.
Bonhote, J. Lewis, notice of his 'Birds of Britain,' 243.
Botaurus, 363.
lentiginosus, 70, 174, 197, 431, 463.
Bowles, J. H., capture of the White-winged Dove in the State of Washington, 82; lead poisoning in ducks, 312; early nesting records from Washington State, 323.
Brachyramphus, 345.
brevirostris, 357.
hypoleucus, 345.
kittlitzii, 357.
marmoratus, 156, 429.
Braislin, William C., Nelson's Sparrow (*Ammodramus nelsoni*) on Long Island, N. Y., 84; notice of his 'A List of the Birds of Long Island, New York,' 93.
Brant, Black, 431, 473.
Silver, 451.
Branta bernicla, 352, 463.
canadensis, 70, 431, 463.
canadensis hutchinsi, 70, 431.
canadensis occidentalis, 438.
nigricans, 431, 473.
Bridge, Lidian E., *Protonotaria citrea* at Concord, Mass., 319; Mocking-

bird in West Medford, Mass., 320; *Chondestes grammacus* at Ipswich, Mass., 476.
British Birds (magazine), notice of, 243.
Brooks, Earle A., notes from West Virginia, 235–238.
Bubo arcticus, 372.
subarcticus, 372.
virginianus, 214, 392, 417, 443, 465.
virginianus algistus, 347.
virginianus arcticus, 347, 372, 453, 487.
virginianus heterocnemis, 347, 487.
virginianus occidentalis, 393.
virginianus pallescens, 433.
virginianus saturatus, 433.
virginianus subarcticus, 372.
Bubonidæ, 290, 370.
Bucephala albeola, 463.
Budytes flavus alascensis, 397.
flavus leucostriatus, 397.
flavus similima, 397.
Bunting, Black-throated, 454.
Indigo, 15, 61, 188, 206, 420, 453.
Lark, 32, 43, 467.
Lazuli, 43, 436.
Burr, Freeman F., and others, notice of their 'A List of the Birds of the New Haven Region,' 490.
Burnett, W. L., another Cañon Wren record for Colorado, 87.
Bush-tit, Lead-colored, 461.
Puget Sound, 437.
Buteo, 347.
antillarum, 269, 271.
buteo, 353.
borealis, 59, 199, 417, 441, 464.
borealis calurus, 433, 458.
borealis harlani, 214, 441.
borealis krideri, 199, 441, 452, 474.
Buteo insignatus, 470.
latissimus, 270, 271, 272, 273
lineatus, 214, 442, 464.
lineatus alleni, 442.
pennsylvanicus, 270, 271, 272, 273.
platypterus, 59, 199, 232, 269–271, 273, 417, 442, 452.
platypterus antillarum, 271.
platypterus **insolicola**, 273.
platypterus rivierei, 273.
swainsoni, 214, 433, 468–471.
Butorides spodiogaster, 336.
virescens, 59, 175, 417.
Butter-ball, 463.
Buturlin, S., Red-spotted Bluethroat of Alaska, 35–37.
Buzzard, Turkey, 315, 328, 458, 475.

Calamospiza melanocorys, 32, 43, 467.
Calcarius lapponicus, 72, 281.
lapponicus alascensis, 483.
ornatus, 30, 72, 84.
Calidris, 367.
arenaria, 367.
leucophæa, 367.
Callothrus, 377.
Calocitta formosa, 341.
Catharus melpomene costaricensis, 334.
Calypte costæ, 459.
Cameron, E. S., the birds of Custer and Dawson Counties, Montana, 39–56; observations on the Golden Eagle in Montana, 251–268.
Campephilus principalis, 445.
Camptolaimus, 362.
Camptorhynchus, 362.
labradoria, 362.
Camptostoma, 376.
imberbe, 376.
Canachites franklini, 438.
Caprimulgus carolinensis, 201, 214, 374.
griseatus, 336.

Caprimulgus vociferus, 201.
Caracara, Audubon's, 442.
Carbo auritus, 359.
Cardinal, 206, 318, 420.
Cardinalis cardinalis, 206, 420.
cardinalis magnirostris, 396.
Carpodacus mexicanus frontalis, 96, 460.
purpureus, 61, 202, 236, 419.
purpureus californicus, 435.
Carriker, M. A., Jr., notice of his 'Descriptions of new birds from Costa Rica,' etc., 493.
Carter, Mrs. Isabel Paddock, obituary of, 104.
Casarca casarca, 361.
ferruginea, 361.
Cassinia, see Delaware Valley Ornithological Club.
Casuarius lydekkeri, 240.
novæ-hollandiæ, 240.
Catbird, 9, 15, 34, 52, 62, 211, 423.
Catharacta, 389.
Catharista, 399.
urubu, 199, 417, 440.
Cathartes, 392.
aura, 232, 315, 328, 369, 417, 432, 440, 475.
aura septentrionalis, 199, 369, 458.
burrovianus, 353.
septentrionalis, 369.
Catherpes mexicanus conspersus, 87, 226, 461.
mexicanus poliopterus, 397.
Catoptrophorus, 367.
semipalmatus, 368.
semipalmatus inornatus, 368.
Cedar-bird, 1, 2.
Centurus carolinus, 201, 418, 447, 465.
uropygialis, 458.
Ceophlœus, 373.
pileatus, 418, 447.
pileatus abieticola, 60, 434, 475.
Cepphus carbo, 352.
Cepphus columba, 155, 429.
Cerchneis sparverius, 199.
sparverius paulus, 347.
Cerorhinca monocerata, 155, 156, 429.
Certhia familiaris americana, 63, 212, 424.
familiaris occidentalis, 437.
Ceryle, 399.
alcyon, 26, 59, 199, 418, 433, 445, 458.
Chæmepelia, 301–306, 399.
Chætura chapmani, 334.
cinereicauda, 334.
cinereiventris phæopygos, 335.
gaumeri, 334.
pelagica, 60, 201, 317, 418.
spinicauda fumosa, 335.
vauxi, 335, 434.
Chamæa fasciata rufula, 351.
Chapman, Frank M., notice of his expedition to southern Florida for bird group material, 249, 342.
Charadrius dominicus, 180, 327, 438.
Charitonetta albeola, 430.
Chat, Long-tailed, 50, 461.
Yellow-breasted, 14, 19, 211, 231, 423.
Chaulelasmus streperus, 234, 325, 430.
Chelidonaria, 350.
urbica, 350.
Chen cærulescens, 451.
hyperborea, 70, 431, 463.
rossi, 451.
Cherrie, George K., notice of paper on birds from the Island of Trinidad, 334.
Chewink, 281.
Chickadee, 21, 63, 136, 139, 467.
Acadian, 351.
Bailey's Mountain, 351.
Carolina, 212, 424.
Chestnut-backed, 437.
Florida, 351.
Hudsonian, 63, 73.

Chickadee, Long-tailed, 34, 54, 73, 467.
Oregon, 437.
Childs, John Lewis, Krider's Hawk and the English Sparrow nesting together, 474; Membership conditions in the A. O. U., 494.
Chlorospingus zeledoni, 334.
Chondestes grammacus, 204, 236, 476.
grammacus strigatus, 39.
Chordeiles acutipennis texensis, 459
virginianus, 26, 60, 201, 418.
virginianus henryi, 434, 465.
virginianus hesperis, 347.
virginianus sennetti, 26.
Chroicocephalus, 389.
Chuck-will's-widow, 201, 214, 418, 478.
Ciconia americana, 363.
Cinclus, 385.
cinclus, 385.
hydrophilus, 385.
mexicanus, 51, 385, 437.
mexicanus unicolor, 385.
Cinerosa, 396.
Circus hudsonius, 213, 432, 441, 468.
melanoleucus, 336.
Cistothorus stellaris, 211, 229, 320–322, 423.
Clangula, 362.
clangula americana, 69, 217, 430.
islandica, 217, 430.
Clark, Austin Hobart, the Macaw of Dominica, 309–311.
Coccothraustes vespertinus montanus, 187.
Coccyzus americanus, 199, 418, 444.
americanus occidentalis, 433.
erythrophthalmus, 26, 59, 199 214, 445.
Cœligena, 374.
Colaptes auratus, 418, 447.
auratus luteus, 26, 60, 71, 201, 418, 448, 465, 484.
Colaptes cafer collaris, 26, 453.
cafer saturatior, 434.
chrysoides, 448.
Colinus virginianus, 59, 198, 417, 432, 439, 464.
virginianus insularis, 391.
Columbigallina passerina terrestris, 440.
Columbina, 301–306, 399.
campestris, 301.
cabocolo, 301, 305.
griseola, 301–306.
strepitans, 301, 305.
Columba asiatica, 368.
carolinensis, 368.
cinnamomina, 302.
fasciata, 432.
macroura, 368.
minuta, 301–304.
passerina, 301–306.
picui, 301, 305.
squamosa, 302.
talpacoti, 301, 302.
Columbula, 301.
Colymbi, 355.
Colymbidæ, 355.
Colymbus, 389.
auritus, 428.
holbœllii, 156, 428.
lumme, 356.
minor, 356.
ruficollis, 356.
stellatus, 356.
Compsothlypis americana, 421.
americana ramalinæ, 190, 209, 396.
americana usneæ, 62.
Contopus, 375.
richardsonii, 434, 466.
richardsonii saturatus, 394.
virens, 60, 419, 465.
Conuropsis, 373.
carolinensis, 373.
Conurus, 373.
carolinensis, 373, 443.
Cooke, Wells W., the Horned Lark

in Georgia, 318; the Nelson Sparrow in Georgia and Florida, 318; Acadian Sharp-tailed Sparrow in Georgia and Florida, 319; the Kentucky Warbler in Vermont, 320; averaging migration dates, 485.
Coot, American, 14, 177, 213, 218, 431, 463.
Cormorant, Baird's, 155, 156, 157, 160, 161, 162, 163, 164, 165, 166, 430.
Brandt's, 155, 156, 163, 164, 429.
Double-crested, 69, 294, 325.
Violet-green, 438.
White-crested, 155, 158, 159, 160, 162, 164, 165, 429.
Corvus brachyrhynchos, 60, 202, 419, 434, 466.
brachyrhynchos caurinus, 394.
brachyrhynchos hesperis, 28, 348, 394.
caurinus, 160, 394, 435.
corax clarionensis, 394.
corax principalis, 160, 434.
corax sinuatus, 71.
cornix, 348.
frugilegus, 348.
ossifragus, 279.
Coturnicops, 364, 391.
noveboracensis, 364.
Coturniculus, 399.
bairdi, 31, 39.
henslowi, 230.
savannarum australis, 378.
savannarum passerinus, 203, 378, 466.
savannarum perpallidus, 39.
Court, Edward J., Treganza Blue Heron, 291–296.
Cowbird, 7, 14, 28, 71, 202, 229, 435, 466.
Dwarf, 460.
Cractes, 394.
Crane, Little Brown, 70, 431, 451, 463.
Crane, Sandhill, 176, 431, 463.
Whooping, 176, 463, 484.
Creciscus, 365.
jamaicensis, 365.
Creeper, Brown, 4, 8, 63, 212, 424.
Tawney, 437.
Crolius, Anne A., a Prothonotary Warbler in Central Park, New York City, 320.
Crossbill, American, 61, 72, 164, 202, 435.
Bendire's, 394.
Red, 72, 318.
White-winged, 10, 134, 139, 196, 203, 280, 324.
Crotophaga ani, 443.
sulcirostris, 444.
Crow, American, 1, 7, 60, 114, 202, 419, 434, 466.
California, 28.
Clarke's, 222, 318.
Fish, 279.
Hooded, 348.
Northwest, 160, 166, 435.
Western, 348.
Crymophilus fulicarius, 365.
Cryptoglaux, 371.
tengmalmi richardsoni, 235, 371, 433.
Cuckoo, Black-billed, 15, 26, 59, 199, 214, 445.
California, 433.
Yellow-billed, 15, 199, 418, 444.
Curlew, Eskimo, 179, 364.
Hudsonian, 157, 160, 179, 432.
Long-billed, 234, 364.
Cyanecula, 388.
suecica, 388.
suecica robusta, 388.
Cyanocitta cristata, 60, 94, 186, 202, 466.
cristata florincola, 419.
stelleri, 434.
stelleri borealis, 394.
stelleri carbonacea, 348.
Cyanolæmus, 374.
clemenciæ, 374.

Cyanomyia salvini, 348.
Cyanospiza, 380.
amœna, 43, 436.
cyanea, 61, 188, 420, 453.
Cyanosylvia, 388.
suecica, 35, 36.
suecica robusta, 35, 36, 388.
dicessa, 36.
suecica pallidogularis, 36
Cyclorrhynchus, 356.
psittaculus, 356.
Cymochorea, 345.
Cymodroma, 338.
Cynanthus, 374.
latirostris, 375.
Cypseloides niger borealis, 166, 434.

Dafila acuta, 213, 430, 463.
Daggett, Frank S., capture of the American Goshawk and Harris's Sparrow near Chicago, Ill., 82.
Dawson, William Leon, the bird colonies of the Olympiades, 153–166, new and unpublished records from Washington, 482–485.
Deane, Ruthven, an unpublished letter of John James Audubon to his family, 166–169; unpublished letters of introduction carried by John James Audubon on his Missouri River Expedition, 170–173; the Passenger Pigeon (*Ectopistes migratorius*) in confinement, 181–183; curious fatality among Chimney Swifts, 317; the copperplates of the folio edition of Audubon's 'Birds of America,' with a brief sketch of the engravers, 401–413; Turkey Buzzard (*Cathartes aura*) in northern Illinois, 475; destruction of English Sparrows, 477.
Dearborn, Ned, notice of his 'Catalogue of a Collection of Birds from Guatemala,' 240.
Delaware Valley Ornithological Club eighteenth annual meeting of, 250; review of 'Proceedings' of, 335.
Dendragopus obscurus fuliginosus, 432.
Dendrocygna, 362.
bicolor, 362, 485.
fulva, 362.
Dendroica æstiva, 33, 50, 73, 159, 209, 422, 436, 467.
æstiva brewsteri, 350.
auduboni, 436, 461.
blackburniæ, 6, 62, 210, 422.
cærulescens, 5, 62, 190, 422.
cærulescens cairnsi, 237.
castanea, 209, 214.
cerulea, 209, 238, 422.
coronata, 50, 62, 73, 190, 422, 436.
discolor, 87, 210, 280, 422.
dominica, 422.
dominica albilora, 210.
kirtlandi, 422, 480.
maculosa, 6, 33, 62, 190, 209, 237, 283, 383.
magnolia, 383.
nigrescens, 437.
palmarum, 214, 422.
palmarum hypochrysea, 422.
pensylvanica, 17, 62, 209, 238, 422.
striata, 4, 50, 62, 73, 209, 225, 422.
tigrina, 209, 479.
townsendi, 50, 437.
vigorsii, 210, 422.
virens, 62, 210, 422.
Deroptyus accipitrinus, 311.
Dichromanassa rufescens, 175.
Dickcissel, 188, 206, 454.
Diglossa montana, 240.
Dilophalieus, 390.
Dinornis ingens, 238.
Diomedea, 345, 389.
albatrus, 345, 429.
brachyura, 345.

Diomedea exulans, 345.
palpebrata, 358.
Dipper, American, 51.
Dolichonyx oryzivorus, 28, 60, 186, 201, 222, 280, 419, 493.
Dove, Ground, 440.
Inca, 91.
Mourning, 199, 234, 417, 432. 440, 458, 464.
White-winged, 82, 440.
Dovekie, 215.
Dowitcher, 177.
Long-billed, 177.
Dromaius peroni, 240
Dryobates borealis, 200, 418, 446.
lucasanus, 393.
pubescens, 418, 446, 465.
pubescens gairdneri, 434.
pubescens medianus, 59, 199.
scalaris bairdi, 458.
scalaris lucasanus, 393.
villosus, 185, 199, 465.
villosus auduboni, 418, 446.
villosus harrisi, 433.
villosus hyloscopus, 483.
Duck, Black, 14, 450, 462.
Buffle-head, 15, 247, 340.
Canvasback, 80, 340.
Dusky, 450.
Greater Scaup, 15.
Harlequin, 156, 166, 340, 472.
Lesser Scaup, 14, 197, 438, 463.
Long-tailed, 69.
Masked, 472.
Nigger Black, 284.
Pintail, 15, 213, 340.
Red-head, 14, 340.
Red-legged Black, 283.
Red-paddle Black, 284.
Ring-necked, 213, 234, 438, 463.
Ruddy, 14.
Wood, 15, 417, 340, 450.
Dumetella, 385.
carolinensis, 211, 385.
Dutcher, William, notice of his Annual Report of the National Association of Audubon Societies for 1907, 101.
Dwight, Jonathan, Jr., notice of his 'Index to the Bulletin of the Nuttall Ornithological Club, Vols. I–VIII, and The Auk, Vols. I–XVII,' 99.
Dyke, Arthur C., the Canvasback at Bridgewater, Mass., 80.
Dysporus, 352.
Dytes, 389.

Eagle, Bald, 160, 214, 230, 259, 265, 433, 442, 464.
Golden, 71, 251–268, 323, 433, 442, 464, 469.
Northern Bald, 71.
Pallas's Sea, 265.
White-tailed, 265.
Ectopistes macroura, 392.
migratorius, 181, 183, 285, 392, 440, 451.
Edson, J. M., birds of the Bellingham Bay region, 425–439
Egatheus, 390.
Egret, American, 174, 234, 277, 286, 451, 473.
Reddish, 175.
Egretta candidissima, 174, 313.
Eifrig, G., a long-drawn-out migration: its causes and consequences, 1–9.
Elanoides forficatus, 441, 452.
Elanus leucurus, 441.
Emberiza nivalis, 377.
Emberizoides sphenura lucaris, 334.
Embody, G. C., the accidental occurrence of the Green-tailed Towhee (*Oreospiza chlorura*) in Virginia, 224.
Emeus boothi, 240.
haasti, 240.
parkeri, 240.
Empidonax canescens, 376.
cineritius, 376.
difficilis, 434.

Empidonax difficilis cineritius, 376.
flaviventris, 60, 197, 201.
fulvifrons, 353.
griseus, 376, 459.
hammondi, 438.
insulicola, 353.
minimus, 27, 60 202, 235, 279
traillii, 434.
traillii alnorum, 27, 60, 197, 201.
virescens, 20, 201, 233, 419.
wrightii, 27.
Endomychura, 345.
Ereunetes, 367.
mauri, 367.
occidentalis, 157, 367, 432.
pusillus, 70, 178.
Ergaticus, 354.
ruber, 354.
Euetheia, 399.
Euphagus carolinus, 72, 202, 280.
cyanocephalus, 435, 460.
Euphonia, 353.
elegantissima, 353.
Euxenura maguari, 38.
Exanthemops, 390.

Falco æsalon, 370.
cinerascens, 269.
columbarius, 71, 278, 433, 442, 464.
columbarius richardsoni, 370.
columbarius suckleyi, 160, 433.
fuscus, 269.
latissimus, 270.
mexicanus, 464.
palumbarius, 369.
pennsylvanicus, 269.
peregrinus, 347.
peregrinus anatum, 59, 71, 433, 442.
peregrinus peali, 160.
regulus, 370.
richardsoni, 452.
rusticolus, 452, 464.
rusticolus obsoletus, 234.
sparverius, 417, 442, 464.
Falco sparverius paulus, 347.
sparverius phalœna, 160, 433, 458.
urubitinga, 369.
wilsoni, 270.
Falcon, Peale's, 160, 164.
Peregrine, 347.
Prairie, 464.
Fay, S. Prescott, Barrow's Goldeneye (*Clangula islandica*) in Massachusetts, 217.
Field, George W., quoted, on the Heath Hen, 108.
Finch, California Purple, 435.
Gray-crowned, 453.
House, 96, 460.
Nelson's, 475.
Purple, 1, 2, 8, 61, 138, 202, 236, 419.
Finley, William Lovell, notice of his 'American Birds studied and photographed from Life,' 93.
Flamingo, American, 313.
Fleming, James H., the destruction of Whistling Swans (*Olor columbianus*) at Niagara Falls, 306–309; Ontario bird notes, 486.
Flicker, 7, 137, 138, 418, 447.
Gilded, 448.
Northern, 26, 60, 71, 201, 418, 448, 465.
Northwestern, 434.
Red-shafted, 26, 453.
Yellow-shafted, 484.
Florida cœrulea, 175.
Flycatcher, Acadian, 318.
Alder, 9, 15, 27, 60, 196, 197, 201.
Ash-throated, 185, 459.
Crested, 9, 15, 60, 201, 418, 453.
Gray, 459.
Green-crested, 20, 201, 233, 419.
Hammond's, 438.
Least, 3, 8, 13, 27, 60, 202, 235, 279.

Flycatcher, Olive-sided, 15, 27, 60, 214, 418, 434.
Santa Barbara, 353.
Traill's, 434.
Vermillion, 459.
Western, 434.
Wright's, 27.
Yellow-bellied, 15, 60, 136, 197, 201.
Forbes, S. A., notice of his 'The Mid-Summer Bird Life of Illinois. A Statistical Study,' 491.
Formicarius castaneiceps, 493.
Foudia flavicans, 240.
newtoni, 240.
Fregata, 338, 360.
Fregetta, 338, 360.
Fringilla albicollis, 224.
erythrophthalmus, 224.
maculata, 229.
passerina, 378.
Fulica americana, 177, 213, 219, 431, 463.
noveboracensis, 364.
Fuligula, 362.
Fulmarus, 399.

GADWALL, 234, 325, 430.
Galeoscoptes, 385.
carolinensis, 34, 52, 62, 385, 423.
Gallinago, 366.
delicata, 70, 177, 213, 431.
major, 366.
media, 366.
Gallinula galeata, 81, 176.
Gallinule, Florida, 15, 81, 176.
Purple, 176, 234.
Gannet, 486.
Gavia, 389.
adamsi, 68.
arctica, 428.
imber, 68, 156, 356, 428, 462, 471.
immer, 356.
lumme, 69, 356, 429.
Gavia pacifica, 68, 156, 428.
stellata, 356.
Gelochelidon nilotica, 234.
Geococcyx californianus, 458.
Geothlypis, 384.
agilis, 281, 284.
beldingi, 384.
formosa, 423.
philadelphia, 62, 230, 282.
poliocephala, 384.
tolmiei, 33, 437.
trichas, 384, 396, 423.
trichas arizela, 33, 437.
trichas brachidactyla, 33, 62, 211, 354.
trichas ignota, 396.
trichas occidentalis, 50, 461.
Gibson, Langdon, the Turkey Buzzard near Schenectady, N. Y., 315.
Giglioli, Eurico Hillyer, notice of his 'Avifauna Italica,' 242.
Glaucidium, 221, 393.
gnoma californicum, 433.
phalænoides, 398.
phalænoides ridgwayi, 398.
Glaux, 371.
acadicus, 372.
acadicus scotæus, 372 484,
funerea richardsoni, 371, 484.
Gnatcatcher, Blue-gray, 15, 212, 318, 424, 481, 482.
Plumbeous, 462.
Western, 190, 462.
Godman, F. Du Cane, his 'Monograph of the Petrels', announcement of, 105; notices of, Part I, 244, Part II, 338.
Godwit, Hudsonian, 178, 284.
Marbled, 178, 234, 473.
Golden-eye, American, 7, 217, 430.
Barrow's, 217, 430.
Goldfinch, American, 8, 30, 61, 203, 419.
Green-backed, 460.
Pale, 30.

Goldfinch, Willow, 435.
Goose, American White-fronted, 80.
Blue, 451.
Canada, 70, 431, 463.
Hutchins's, 70, 431, 463.
Lesser Snow, 70, 431, 463.
Pink-footed, 346.
Ross's, 451.
White-fronted, 431.
White-cheeked, 437.
Goshawk, American, 82, 277, 323.
Western, 433.
Grackle, Bronzed, 1, 2, 7, 14, 29, 114, 202, 466.
Rusty, 4, 9.
Grebe, Holbœll's, 156, 428.
Horned, 15, 428.
Pied-billed, 15, 132, 213, 428.
Western, 156, 428.
Grinnell, J., the name of the California Least Vireo, 85.
Grosbeak, Alaskan Pine, 482
Black-headed, 32, 43, 228, 245, 436.
Blue, 214, 245, 286, 420.
Cardinal, 245.
Evening, 10.
Gray, 245.
Pine, 10, 72, 280, 324.
Rose-breasted, 8, 14, 15, 61, 206, 233, 245, 420.
Spotted, 228.
Western Blue, 188, 461.
Western Evening, 187, 435.
Gross, Alfred O., Swainson's Warbler (*Helinaia swainsonii*), 225.
Grouse, Canadian Ruffed, 432.
Franklin's, 438.
Oregon Ruffed, 432.
Prairie Sharp-tailed, 464.
Ruffed, 59, 71, 198, 286, 464.
Sage, 260.
Sharp-tailed, 138, 253, 260.
Sooty, 432.
Grus americana, 176, 463, 484.
canadensis, 70, 431, 451, 463.
Grus mexicana, 176, 431, 463.
Guara alba, 173.
rubra, 174.
Guillemot, Pigeon, 155, 158, 159, 164, 165, 429.
Guiraca cærulea, 214, 286, 420.
cærulea lazula, 188, 461.
Gull, Bonaparte's, 15, 429.
California, 69, 293, 294, 295, 429.
Glaucous, 298–300, 357.
Glaucous-winged, 159, 160, 161, 162, 163, 164, 165, 429.
Great Black-backed, 398.
Heermann's, 159, 160, 429.
Herring, 8, 69, 132, 213, 298, 429.
Iceland, 298–300.
Kumlien's, 296–300.
Laughing, 283.
Ring-billed, 14, 324, 429, 457, 462.
Sabine's, 484.
Short-billed, 69, 429.
Vega, 438, 484.
Western, 155, 158, 159, 160, 161, 163, 164, 166, 429.
Gypagus, 369.
Gyrfalcon, Black, 234.
Gray, 452, 464.

Hæmatopus bachmani, 155, 432.
palliatus, 180, 284.
Haliæetus albicilla, 265.
leucocephalus, 160, 214, 259. 265, 433, 442, 464.
leucocephalus alascanus, 71.
leucoryphus, 265.
Haliplana fuliginosa var. crissalis, 345.
Hardy, John H., Jr., the Ruff at Seabrook, N. H., 82.
Harelda hyemalis, 69, 184, 217, 430.
Harlow, Richard C., Virginia Rail and Kentucky Warbler in New Jersey, 218; Bobolinks summer-

ing in Southern Pennsylvania, 222; recent notes on birds of eastern Pennsylvania, 276–282; breeding of the Loon in Pennsylvania, 471.
Harper, Francis, the Hermit Thrush as a summer resident of Long Island, N. Y., 481.
Havell, Robert, biographical notice of, 406–410.
Hawk, American Rough-legged, 71, 277, 284, 442.
American Sparrow, 199, 442, 464.
Broad-winged, 14, 59, 83, 199, 232, 268–276, 316, 417, 442, 452.
Cooper's, 14, 213, 316, 417, 433, 441, 452, 458, 464.
Desert Sparrow, 160, 433, 458.
Duck, 59, 71, 433, 442.
Florida Red-shouldered, 442.
Harlan's, 214, 441.
Harris's, 441.
Krider's 199, 441, 452, 474.
Little Sparrow, 347.
Marsh, 7, 14, 83, 135, 213, 252, 432, 441, 468.
Pigeon, 71, 278, 433, 442, 464.
Red-shouldered, 14, 83, 214, 316, 442, 464.
Red-tailed, 14, 59, 199, 316, 417, 441, 464.
Rough-legged, 353.
Sharp-shinned, 15, 199, 316, 433, 441.
Sparrow, 8, 417.
Swainson's, 214, 433, 468–471.
Western Red-tailed, 433, 458.
Hazard, R. G., breeding of the Carolina Wren in Rhode Island, 480.
Helinaia, 399.
swainsoni, 225.
Helminthophila, 399.
bachmani, 207, 421, 479.
Helminthophila celata, 33, 50, 483.
celata lutescens, 159, 421, 436.
chrysoptera, 65, 86, 214, 284, 421.
cincinnatiensis, 354.
lawrencei, 65, 86, 354.
leucobronchialis, 65–68, 86, 208, 354.
peregrina, 33, 73, 190, 209, 421.
pinus, 16, 65, 86, 208, 233, 328, 421.
rubricapilla, 33, 62, 208, 421.
Helmitheros vermivorus, 207, 319, 421, 478.
Helodromas solitarius, 180, 391, 463.
Hen, Heath, 108.
Prairie, 439, 464.
Henshaw, H. W., a parasitic fly injurious to our native birds, 87.
Herodias, 399.
egretta, 174, 234, 277, 286.
Heron, Black-crowned, 175, 185, 198, 313, 314, 326, 457.
Fannin's, 160.
Great Blue, 7, 14, 174, 198, 285, 291–296, 431.
Green, 15, 59, 175, 198, 313, 417.
Little Blue, 175, 313.
Little Green, 451.
Louisiana, 175, 313.
Northwest Coast, 438.
Snowy, 174, 313.
Treganza Blue, 291–296, 457.
Würdemann's, 352.
Yellow-crowned, 175.
Herrick, Newbold L., Black Brant and Marbled Godwit on Long Island, N. Y., 473.
Hesperiphona vespertina montana, 435.
Heteractitis incanus, 157.
Hierofalco, 392.
Himantopus mexicanus, 177, 457.
Hirundo chalybea, 349.

Hirundo erythrogaster, 33, 44, 61, 73, 159, 207, 420, 436, 466.
rustica, 349.
urbica, 350.
Histrionicus histrionicus, 156, 166, 430.
Hollister, N., breeding of the Acadian Owl in Newton County, Indiana, 221; birds of the region about Needles, California, 455–462.
Hopkins, May Agnes, notice of her 'On the relative dimensions of the Osseus Semicircular Canals in Birds,' 98.
Horsfall, Bruce, migration of Hawks, 474.
Hortulanus, 223, 399.
albicollis, 224.
erythroptalmus, 224.
nigricollis, 224.
Howard, H. Eliot, notice of his 'The British Warblers,' pts. 1 and 2, 339.
Howe, Reginald Heber, Jr., new Massachusetts records for the Hawk and Great Gray Owls, 84; Massachusetts records, 323; *Ardea egretta* in New Jersey, 473.
Howell, Arthur, notice of his 'The Relation of Birds to the Cotton Boll Weevil,' 97; notice of his 'Notes on the Winter Birds of Northern Louisiana,' 493.
Hummingbird, Allen's, 434.
Calliope, 434.
Costa, 459.
Floresi's, 353.
Ruby-throated, 3, 9, 15, 60, 201, 418, 465.
Rufous, 159, 163, 164, 434.
Salvin's, 348.
Violet-throated, 353.
Hunt, Chreswell J., *Rallus virginianus* a Delaware Valley breeder, 81; the Tree Swallow nesting in the Delaware Valley, 85; the Kentucky Warbler in southern New Jersey, 87.
Hutchins, John, Pileated Woodpecker near Litchfield, Conn., 475.
Hydranassa tricolor ruficollis, 175.
Hydrochelidon nigra surinamensis, 215, 429, 462.
Hydrocolœus, 389.
Hydroprogne, 389, 399.
Hylobrontes, 391.
Hylocichla aliciæ, 34, 54, 73, 212, 424.
aliciæ bicknelli, 34, 63.
aonalaschkæ swainsonii, 74.
fuscescens, 63, 214, 282, 424.
fuscescens salicicola, 34.
guttata, 483.
guttata nana, 438.
guttata pallasi, 64, 213, 424, 467, 481.
guttata sequoiensis, 351, 483.
guttata slevini, 351.
mustelina, 63, 91, 212, 424, 467.
ustulata, 159, 437.
ustulata almæ, 34, 355.
ustulata swainsonii, 54, 64, 74, 213, 424, 483.
Hylophilus, 354.
decurtatus, 354.
Hypotriorchis, 392.

Iache, 374.
latirostris, 375.
Ibis, Glossy, 174.
Scarlet, 174.
White, 173.
White-faced Glossy, 174, 457.
Wood, 37, 174, 363.
Icteria virens, 19, 211, 423.
virens longicauda, 50, 461.
Icterus bullocki, 29, 460.
galbula, 29, 61, 187, 202, 419, 466.
icterus, 377.
spurius, 186, 202, 419, 466.

Ictinia mississippiensis, 213 441.
Ihering, Hermann and Rodolpho von, notice of their 'As Aves do Brazil,' 94.
Index, a twenty-five Year, to 'The Auk' and Nuttall Bulletin,' notice of, 99.
Ionornis, 391.
martinica, 176, 234.
Iridoprogne bicolor, 32, 45, 73, 85, 207, 436.
Ispida, 399.
Ixobrychus, 364.
exilis, 364.
neoxenus, 364.
Ixoreus nævius, 438.
nævius meruloides, 398.

JABIRU, 38, 363.
Jabiru-guacu, 37.
Jabiru brasiliensis, 38.
mycteria, 38, 362.
Jaeger, Arctic, 215.
Long-tailed, 215, 450.
Parasitic, 69, 429.
Pomarine, 438, 484.
Jay, Blue, 60, 94, 186, 202, 419, 466.
California, 94.
Canada, 71, 136, 139.
Coast, 348.
Florida Blue, 419.
Oregon, 434.
Steller's, 434.
Woodhouse's, 460.
Johnson, M. Susan, notes on Missouri birds, 324.
Jones, Lynds, notice of his 'The Development of Nestling Feathers,' 90.
Junco aikeni, 466.
annectens, 378.
caniceps, 378.
dorsalis, 395.
hyemalis, 42, 61, 72, 205, 378, 419, 467.
hyemalis annectens, 378.
Junco hyemalis carolinensis, 236.
hyemalis connectens, 205.
hyemalis mearnsi, 378.
hyemalis montanus, 378.
hyemalis oregonus, 378, 438.
hyemalis shufeldti, 435, 467.
hyemalis thurberi, 460.
hyemalis townsendi, 378.
mearnsi, 31.
montanus, 31.
phæonotus caniceps, 378.
phæonotus dorsalis, 395.
Junco, Carolina, 236.
Montana, 188, 205.
Oregon, 187, 438.
Pink-sided, 31.
Shufeldt's, 205, 467.
Slate-colored, 1, 7, 42, 61, 137, 205, 236, 419, 467.
Thurber's, 460.
White-winged, 466.

KALMBACH, Edwin R., notes on three Michigan birds, 230.
Kamptorhynchus, 362.
Kennard, Fred. H., capture of the King Rail in Massachusetts, 218.
Killdeer, 7, 14, 114, 180, 213, 234, 324, 432, 458, 464.
Kingbird, 8, 15, 27, 60, 201, 418, 434.
Arkansas, 27, 434, 459.
Kingfisher, Belted, 2, 8, 26, 59, 132, 199, 418, 433, 445, 458.
Kinglet, Golden-crowned, 7, 14, 63, 136, 139, 212, 424.
Ruby-crowned, 4, 8, 212, 424, 437, 462.
Sitkan, 437.
Western Golden-crowned, 437.
Kirkwood, F. C., Chestnut-collared Longspur (*Calcarius ornatus*) in Maryland, 84.
Kite, Mississippi, 213, 441.
Swallow-tailed, 452.
White-tailed, 441.

Kittiwake, Pacific, 429.
Knot, 157, 178.

LaDow, Stanley V., the Hooded Warbler a summer resident in Green Co., N. Y., 480.
Lagopus lagopus, 71.
leucurus, 432.
leucurus altipetens, 352.
leucurus peninsularis, 346.
rupestris chamberlaini, 399.
Lanius borealis, 49, 73, 280, 436, 467.
ludovicianus, 421.
ludovicianus excubitorides, 49, 461, 467.
ludovicianus migrans, 207, 280, 286.
Lanivireo, 382.
flavifrons, 207, 382.
solitarius, 382.
solitarius alticola, 382.
solitarius cassini, 189, 382.
solitarius lucasanus, 382.
solitarius plumbeus, 382.
Lark, Desert Horned, 27.
Dusky Horned, 434.
Horned, 318.
Hoyt's Horned, 71.
Prairie Horned, 1, 14, 202, 233, 235, 318, 323.
Sonoran Horned, 460.
Larus argentatus, 69, 213, 357, 399, 429.
atricilla, 283.
barrovianus, 352.
brachyrhynchus, 69, 429.
californicus, 69, 293, 294, 295, 429.
canus, 358.
delawarensis, 324, 429, 457 462.
glaucescens, 151, 429.
glaucus, 298–300.
heermanni, 429.
hyperboreus, 357.
Larus kumlieni, 296–300.
leucopterus, 298–300.
occidentalis, 155, 429.
philadelphia, 429.
vegæ, 399, 438, 484.
Lee, Leslie Alexander, obituary of, 340.
Leibelsperger, W. H., some rare summer residents of Berks County, Pennsylvania, 232.
Lengerke, Justus von, migration of hawks, 315.
Leptopogon superciliaris, 334.
Leucophoyx, 399.
Leucosticte griseonucha, 394.
tephrocotis, 453.
tephrocotis griseonucha, 394.
tephrocotis littoralis, 435.
Leucosticte, Hepburn's, 435.
Limosa fedoa, 178, 234, 473.
hæmastica, 178, 284.
Lizars, William Home, biographical notice of, 410–413.
Lobipes, 365.
lobatus, 365.
Longspur, Alaskan, 483.
Chestnut-collared, 30, 72, 84.
Lapland, 72, 281.
McCown's, 30.
Painted, 72.
Loon, 14, 68, 132, 156, 428, 462, 471.
Black-throated, 428.
Pacific, 68, 428.
Red-throated, 69, 429.
Yellow-billed, 68.
Lophodytes cucullatus, 287, 430.
Lophornis delattrii, 334.
Lophortyx californicus, 432.
catalinensis, 391.
gambeli, 458.
Loxia curvirostra bendirei, 394.
curvirostra minor, 30, 61, 72, 202, 318, 435.
leucoptera, 203, 280, 324.
maculata, 228.

Lunda cirrhata, 155, 429.

MACAW, of Dominica, 309–311.
Macronectes, 358.
giganteus, 358.
Macrorhamphus, 366.
griseus, 177.
scolopaceus, 177
Magpie, American, 28, 186, 434, 466.
Maguari, 38.
Maine Ornithological Society, Twelfth Annual Meeting of, 106.
Mallard, 213, 312, 430, 457, 462.
Black, 450.
Manchot, 337.
Mareca americana, 430.
Marila, 361.
affinis, 197, 362.
americana, 362.
collaris, 213, 362.
marila, 362.
vallisneria, 362.
Marshall, Margaret E., notice of her 'Studies in Avian Anatomy, II, *Geococcyx Bubo*, and *Aëronnautes*,' 245.
Martin, 350.
Gray-breasted, 349.
Purple, 8, 14, 44, 207, 420.
Western, 436.
Matthews, Gregory M., notice of his 'Handlist of the Birds of Australia', 244.
Maxson, O. P., [curious fatality among Chimney Swifts], 317.
McAtee, W. L., notice of his 'Food Habits of the Grosbeaks,' 245; lead poisoning in Ducks, 472; records from Bloomington, Ind., 482.
McGlone, Bartgis, a note on the Audubon Shearwater, 472.
McGregor, Richard C., notice of papers on Philippine ornithology by, 336.
Meadowlark, 7, 10, 14. 202, 466, 492.
Florida, 419.
Western, 29, 435, 466.
Mearns, E. A., notice of papers on Philippine ornithology by, 336.
Megaceryle, 373.
Megalapteryx hamiltoni, 240.
huttoni, 238.
Megalestris, 389.
Megarhynchus pitangua superciliaris, 334.
Megascops, 372.
asio, 417, 464.
asio floridanus, 443.
asio kennicotti, 433.
asio maxwelliæ, 56.
Melanerpes erythrocephalus, 200, 279, 283, 418, 447, 465, 476.
formicivorus aculeatus, 393.
Melanitta, 390.
Melanonyx, 390.
Meleagris gallopavo silvestris, 285, 417, 439.
Melopelia asiatica, 368.
leucoptera, 82, 368, 440.
Melospiza cinerea juddi, 31, 395.
cinerea melodia, 61, 206, 420.
cinerea morphna, 159, 435.
cinerea phæa, 399.
cinerea rufina, 435.
coronatorum, 395.
fasciata, 42.
georgiana, 61, 73, 206, 281, 420.
lincolni, 42, 73, 206, 483.
lincolni gracilis, 395.
lincolni striata, 395.
melodia, 379.
melodia caurina, 379.
melodia clementæ, 379, 395.
melodia cleonensis, 349, 379.
melodia cooperi, 379.
melodia fallax, 379, 460.
melodia graminea, 379.
melodia heermanni, 379.
melodia insignis, 379.
melodia juddi, 379, 395.

Melospiza melodia kenaiensis, 379.
melodia merrilli, 379.
melodia montana, 379.
melodia morphna, 379.
melodia pusillula, 379.
melodia rivularis, 379.
melodia rufina, 379.
melodia samuelis, 379.
melodia sanaka, 379.
Menegaux, A., notice of his report on the birds of the French Antarctic Expedition, 337.
Merganser, 360, 390.
americanus, 283, 430.
serrator, 69, 430.
Merganser, American, 132, 283, 430.
Hooded, 8, 15, 132, 287, 430.
Red-breasted, 15, 69, 217, 430, 457.
Mergellus, 360.
albellus, 360.
Mergus, 360.
albellus, 360.
americanus, 360.
merganser, 360.
serrator, 360, 457.
Merlin, Black, 160, 433.
Richardson's, 452.
Merriam, C. Hart, the King cameos of Audubon, 448–450.
Merula, 387.
migratoria, 64, 74, 424, 438, 467.
migratoria propinqua, 34, 55, 159, 438, 467.
Micropalama himantopus, 81, 178.
Miller, Mrs. Olive Thorne, notice of her 'The Bird Our Brother,' 493.
Miller, Richard F., the Black Tern at Camden, N. J., and Philadelphia, Pa., 215; nesting of the King Rail in Philadelphia County, Pa., 218; nesting of the Virginia Rail in Philadelphia County, Pa., 219; nesting of the Coot in Philadelphia County, Pa., 219; the Lesser Yellow-leg in Philadelphia County, Pa., 220; nesting of the Short-billed Marsh Wren in Philadelphia, Pa., 320-322.
Mimus polyglottos, 211, 320, 423.
polyglottos leucopterus, 461.
Mniotilta varia, 6, 33, 61, 190, 207, 421.
Mockingbird, 211, 320, 423, 482.
Western, 461.
Molothrus ater, 28, 71, 202, 229, 435, 466.
ater obscurus, 460.
Morphnus, 399.
Motacilla alba, 396.
currucoides, 388.
maculosa, 383.
ocularis, 396.
suecica, 388.
troglodytes, 386.
Munroe, Kirk, a large migration of Hawks, 83.
Murre, Brünnich's, 486.
California, 155, 158, 159, 163, 164, 429.
Murrelet, Ancient, 438.
Marbled, 156, 429.
Muscicapa carolinensis, 385.
citrina, 384.
saya, 375.
Mycteria, 37, 38, 363.
americana, 37, 38, 363.
Myiadestes townsendii, 54, 437.
Myiarchus cinerascens, 185, 459.
crinitus, 60, 201, 418, 453.
lawrencei, 353.
magister, 376.
magister nelsoni, 376.
mexicanus, 376.
Myiobius aurantiacus acceptus, 334.
xanthopygus aureatus, 334.
Myiochanes, 375.
cinereus, 375.
pertinax pallidiventris, 376.
richardsonii, 376.

Myiochanes richardsonii peninsulæ, 376.
virens, 201, 376.
Myiozetetes similis superciliosus, 353.

NANNUS, 386.
alascensis, 386.
hiemalis, 210, 386.
hiemalis helleri, 386.
hiemalis pacificus, 386.
meligerus, 386.
National Association of Audubon Societies. Annual Report of for 1907, 101; Annual Meeting, 1907, 107; Annual Meeting, 1908, 498.
Necropsittacus borbonicus, 240.
Neodendroica, 396.
Nesœnas duboisi, 240.
Nettion carolinensis, 69, 213, 430, 463.
Nichols, John Treadwell, Lawrence's and Brewster's Warblers and Mendelian inheritance, 86.
Nighthawk, 4, 8, 15, 26, 60, 201, 418.
Pacific, 347.
Sennett's, 27.
Texas, 459.
Western, 434, 465.
Noctua, 221, 393.
minor, 221.
Nomonyx dominicus, 472.
Norton, Arthur H., the Florida Gallinule, Stilt and Buff-breasted Sandpipers near Portland, Me., in 1907, 81.
Notornis alba, 239.
stanleyi, 239.
Nucifraga columbiana, 222, 318, 435.
Numenius americanus, 368.
borealis, 179, 464.
hudsonicus, 157, 179, 432.
longirostris, 179, 234, 368, 464.
vociferus, 364.
Nutcracker, Clarke's, 318, 435.
Nuthatch, Brown-headed, 212, 424.
Nuthatch, Red-breasted, 34, 63, 136, 139, 212, 233, 282, 437
Slender-billed, 54.
White-breasted, 9, 63, 212, 424.
Nuttall Ornithological Club Bulletin, notice of index to, 99.
Nuttallornis borealis, 27, 60, 214, 418, 434.
Nyctala acadica, 55, 221, 278, 286, 443.
Nyctalops, 392.
Nyctanassa violacea, 175.
Nyctea nyctea, 71, 278, 433, 443.
Nycticorax, 364.
infaustus, 364.
nycticorax griseus, 391.
nycticorax nævius, 175, 185, 314, 326, 457.

OCEANODROMA, 345.
beali, 244, 389.
beldingi, 244, 390.
castro, 359.
cryptoleucura, 359.
furcata, 345, 485.
kaedingi, 155, 156, 429.
monorhis, 244, 399.
monorhis chapmani, 244, 390.
socorrœnsis, 244, 399.
Ochthodromus wilsonius, 180.
Oidemia americana, 156, 431.
deglandi, 69, 156, 184, 217, 431.
perspicillata, 69, 156, 184, 431.
Olbiorchilus, 386.
hiemalis, 63, 423.
hiemalis pacificus, 159, 437.
Old-squaw, 184, 217, 430.
Oldys, Henry, capture of a tagged Canvasback Duck, 80.
Olor buccinator, 284, 326.
columbianus, 70, 217, 284, 306–309, 326, 431.
Oporornis, 384
agilis, 384.
formosa, 87, 210, 218, 320, 384.
philadelphia, 210, 384.

Oporornis tolmiei, 384.
Oreortyx pictus, 432.
Oreospiza chlorura, 224.
Oriole, Baltimore, 8, 14, 15, 29, 61, 186, 419, 466.
Bullock's, 29, 186, 202, 460.
Orchard, 15, 186. 202, 419, 466.
Oroscoptes montanus, 51, 461.
Ornismya cœligena, 374.
heloisa, 347.
Ornithion, 376.
imberbe ridgwayi, 353.
Ortalis vetula plumbeiceps, 341.
Ortygops, 391.
Osprey, American, 15, 71, 132, 199, 433, 442, 458.
Ossifraga, 358.
Otocoris alpestris alpestris, 318.
alpestris aphrasta, 394.
alpestris enertera, 399.
alpestris enthymia, 28.
alpestris hoyti, 71.
alpestris leucolæma, 27.
alpestris merrilli, 434.
alpestris pallida, 460.
alpestris praticola, 1, 202, 233, 235, 318.
Otus, 372.
asio, 214, 372.
asio aikeni, 372.
asio bendirei, 372.
asio cineraceus, 372.
asio floridanus, 372.
asio kennicottii, 372.
asio macfarlanei, 372.
asio maxwelliæ, 185, 372.
asio mccallii, 372.
bakkamœna, 372.
flammeola, 372.
flammeola idahoensis, 372.
trichopsis, 372.
Ouzel, Water, 437.
Oven-bird, 8, 14, 15, 19, 50, 62, 137, 210.
Owl, Acadian, 221, 286.
American Barn, 21–25, 185, 232, 234, 286, 316, 442.
Owl, American Hawk, 71, 84, 235, 433.
American Long-eared, 25, 56, 230, 278, 442.
American Short-eared, 25, 221, 278, 371.
Arctic Horned, 25, 71, 487.
Barn, 288–291, 370.
Barred, 59, 199, 417, 443, 452, 464.
Burrowing, 26, 433, 443, 453, 465.
California Pigmy, 433.
Dusky Horned, 433.
Flammulated Screech,
Florida Barred, 443.
Florida Screech, 443.
Great Gray, 71, 84, 234, 433.
Great Horned, 214, 417, 443, 465.
Kennicott Screech, 433.
Labrador Horned, 347, 487.
Northwest Saw-whet, 484.
Richardson's, 235, 433, 484.
Rocky Mountain Screech, 54, 185.
Saw-whet, 55, 278, 443.
Screech, 214, 417, 464.
Short-eared, 433, 443.
Snowy, 71, 278, 433, 443.
St. Michael Horned, 347
Tawny, 289.
Texan Barred, 316.
Western Horned, 433.
White, 71.
White Horned, 453.
Wood, 289, 370.
Oxyechus vociferus, 180, 213, 234, 432, 458.
Oystercatcher, American, 180, 284.
Black, 155, 158, 159, 160, 161. 162, 163, 164, 165, 166, 432,

PACHYRHAMPHUS versicolor costaricensis, 334.
Palæocasuarius elegans, 340.
haasti, 340.

Palæocasuarius velox, 340.
Palmer, T. S., notice of his observations on the Birds of the Yellowstone National Park, 493.
Pandion haliaëtus carolinensis, 71, 442, 458.
Papou, 337.
Parabuteo unicinctus harrisi, 441.
Parasitic fly injurious to birds, 87.
Paroquet, Carolina, 443.
Partridge, California, 432.
Gambel, 458.
Mountain, 432.
Parus, 386.
atricapillus, 21, 63, 467.
atricapillus carolinensis, 398.
atricapillus occidentalis, 437.
atricapillus septentrionalis, 34, 54, 73, 467.
atricristatus kleinschmidti, 243.
carolinensis, 398, 424.
cinctus alascensis, 398.
cinctus obtectus, 398.
hudsonicus, 63, 73.
hudsonicus columbianus, 355.
hudsonicus stoneyi, 355.
palustris sclateri, 398.
rufescens, 437.
sclateri, 398.
(Lophophanes) bicolor floridanus, 397.
Passerculus princeps, 288.
sandwichensis, 438.
sandwichensis alaudinus, 31, 39, 72, 203, 435, 466.
sandwichensis savanna, 61, 203, 223.
Passer domesticus, 203, 287, 419, 435, 453, 467.
Passerella iliaca, 73, 206, 420.
iliaca annectens, 395.
iliaca fuliginosa, 349, 436.
iliaca insularis, 349.
iliaca meruloides, 395.
iliaca stephensi, 395.
iliaca townsendi, 349.
Passerella iliaca unalaschensis, 439.
stephensi, 395.
Passerherbulus, 399.
Passerina, 377, 380.
amœna, 381.
ciris, 381.
cyanea, 206, 380.
nivalis, 72, 280, 435.
versicolor, 381.
versicolor pulchra, 381.
Pavoncella pugnax, 82.
Pearson, Leonard S., the Blue-gray Gnatcatcher in southeastern Pennsylvania, 481.
Pearson, T. Gilbert, Cabot's Tern (*Sterna sandvicensis acuflavida*) breeding in North Carolina, 312; the breeding season of *Strix pratincola* in South Carolina, 316.
Pediœcetes phasianellus campestris, 464.
Pelecanus californicus, 390.
erythrorhynchos, 69, 213, 293, 295, 328, 430, 457, 462.
fuscus, 390.
leucogaster, 359.
piscator, 359.
Pelican, American White, 69, 213, 293, 295, 328, 430, 457, 462.
Pelidna alpina sakhalina, 178, 431.
Penard, Frederik Paul, and Arthur Philip, notice of their 'De Vogels van Guyana,' 491.
Penguin, 337.
Pennock, C. J., *Rallus virginianus* breeding in the Delaware Valley, 219; birds of Delaware — additional notes, 282–288; Red Crossbills, and some other birds in Lower Delaware, 318; White-crowned Sparrows unusually abundant in eastern Pennsylvania, 319.
Penthestes, 386.
atricapillus, 386.
atricapillus occidentalis, 386.

Penthestes atricapillus septentrionalis, 386.
atricapillus turneri, 386.
carolinensis, 386.
carolinensis agilis, 386.
carolinensis impiger, 351, 386
cinctus alascensis, 387.
gambeli, 386.
gambeli baileyæ, 351, 387.
hudsonicus, 387.
hudsonicus littoralis, 351, 387
rufescens, 387.
rufescens barlowi, 387.
rufescens neglectus, 387.
sclateri, 386.
Perisoreus, 394.
canadensis, 71.
obscurus, 434.
Perissoglossa, 396.
Peters, James L., Brewster's Warbler, 320.
Petrel, Fork-tailed, 485.
Kaeding's, 155, 158, 160, 161, 163, 164, 166, 429.
Petrochelidon lunifrons, 32, 44, 61, 73, 214, 436, 467.
Peucæa æstivalis bachmani, 205, 419.
Peucedramus, 383.
olivaceus, 383.
Pewee, 14.
Western Wood, 27, 434, 466.
Wood, 9, 15, 60, 201, 375, 419, 465.
Phalacrocorax auritus, 359.
auritus albociliatus, 359.
auritus cincinatus, 359.
auritus floridanus, 359.
dilophus, 69, 294, 325.
dilophus cincinatus, 155, 429.
mexicanus, 359.
pelagicus resplendens, 155, 430.
pelagicus robustus, 438.
penicillatus, 155, 429.
perspicillatus, 352.
vigua, 359.
Phalacrocorax vigua mexicana, 359.
Phalænoptila nuttalli, 214, 459.
Phalarope, Northern, 70, 157, 431
Wilson's, 80, 177, 234, 326, 328.
Phalaropus, 365.
fulicarius, 365.
lobatus, 70, 156, 157, 431.
Phalerinæ, 356.
Phaleris, 356, 357.
psittacula, 356, 485.
Phasianus colchicus, 286.
torquatus, 241, 432.
Pheasant, China, 241.
Denny, 241.
English, 286.
Ring-necked, 432.
Philippine Ornithology, contributions to, noticed, 336.
Philohela minor, 59, 177, 220, 232, 417.
Phlœotomus, 373.
pileatus, 374.
pileatus abieticola, 200, 374.
Phlogothraupis sanguinolenta aprica, 334.
Phœbastria, 345.
Phœbe, 7, 60, 71, 201, 279, 465.
Say's, 27.
Phœbetria fuliginosa, 358.
palpebrata, 358.
Phœnicopterus ruber, 313.
Phœonetta, 390.
Pica pica hudsonica, 28, 186, 434, 466.
Picoides americanus, 60.
arcticus, 59, 434.
arcticus tenuirostris, 393.
Picus lineatus, 373.
pileatus, 373.
torquatus, 374.
Pigeon, Band-tailed, 432.
Passenger, 181–183, 285, 440, 451.
Pingouin, 337.
Pinicola enucleator, 72, 324.
enucleator alascensis, 482.

Pinicola enucleator leucura, 280.
Pintail, 430, 463.
Pipilo aberti, 460.
albigula, 395.
crissalis, 380.
crissalis senicula, 380.
erythrophthalmus, 20, 206, 281, 420.
fuscus albigula, 395.
fuscus crissalis, 380.
fuscus mesoleucus, 188.
maculatus arcticus, 31, 42.
maculatus atratus, 380.
maculatus megalonyx, 380.
maculatus montanus, 380.
maculatus oregonus, 436.
Pipit, American, 51, 73, 423, 437
Sprague's, 33.
Piranga erythromelas, 61, 189, 206, 396, 420, 454, 467.
ludoviciana, 97, 436.
mexicana, 396.
rubra, 206, 235, 286, 420, 467.
rubra cooperi, 561.
Pisobia, 3, 366.
aurita, 366, 484.
bairdii, 367.
damascensis, 367.
fuscicollis, 367.
maculata, 367.
minutilla, 367.
Pitangus derbyanus, 375.
sulphuratus derbyanus, 375.
Pitcairn, Wm. G., Lark Sparrow (*Chondestes grammacus*) in southwestern Pennsylvania, 476.
Pithecophaga jefferi, 336.
Planesticus, 387.
confinis, 387.
migratorius, 213, 387.
migratorius achrusterus, 387.
migratorius propinquus, 387.
tristis, 241.
Platypsaris aglaiæ, 375.
aglaiæ albiventris, 375.
Plautus, 399.
Plectrophanes townsendi, 349.
Plectrophenax, 377.
hyperboreus, 377.
nivalis, 377.
nivalis townsendi, 377.
Plegadis, 390.
guarauna, 457.
Plover, Belted Piping, 180, 432.
Black-bellied, 114, 180.
Golden, 114, 180, 327, 438.
Piping, 114, 180.
Semipalmated, 70, 114, 157, 160, 180, 438.
Snowy, 180, 484.
Wilson's, 180.
Podiceps, 356, 389.
Podicipedes, 355.
Podicipidæ, 355.
Podilymbus podiceps, 213, 428.
Polioptila cærulea, 212, 424, 481.
cærulea obscura, 190, 562.
plumbea, 462.
Polyborus cheriway, 442.
Poœcetes gramineus, 61, 203, 281, 419.
gramineus confinis, 31, 39, 460.
Poor-will, 214, 459.
Porphyriola, 391.
Porter, Louis H., nesting habits of birds at Stamford, Connecticut, as affected by the cold spring of 1907, 16–21.
Porzana carolina, 70, 176, 213, 327, 431, 463.
jamaicensis, 365.
noveboracensis, 70, 176.
Procellaria, 358.
leucorhoa, 345.
pelagica, 358.
Proctopus, 389.
Progne chalybea, 349.
subis, 44, 207, 420.
subis hesperis, 436.
Protection of wild birds, Guide to, 498.
Protocalliphora chrysorrhœa, 88.

Protonotaria citrea, 214, 230, 319, 320.
Psaltriparus grindæ, 398.
minimus grindæ, 398.
minimus saturatus, 398, 437.
plumbeus, 461.
Pseuduria, 389.
Psiloscops, 392.
Psittacus carolinensis, 373.
Platyrhynchus cinereus, 375.
Ptarmigan, Kenai White-tailed, 346.
White-tailed, 432.
Willow, 71.
Ptychoramphus aleuticus, 155, 156.
Puffin, Tufted, 155, 158, 159, 160, 161, 162, 163, 164, 165, 429.
Puffinus anglorum, 339.
auduboni, 339.
borealis, 338.
bailloni, 39.
fuliginosus, 352.
**godmani**, 339.
griseus, 156.
lherminieri, 339, 472.
kuhli, 338.
kuhli flavirostris, 338.
obscurus bailloni, 339.
opisthomelas, 485.
puffinus, 339.
tenuirostris, 485.
Pygoscelis papua, 337.
Pyrocephalus rubineus mexicanus, 459.
Pyrrhula sinuata, 245.

QUAIL, Gambel, 458.
Querquedula, 361.
cyanoptera, 216, 463.
discors, 197, 216, 430, 463.
Quiscalus quiscula æneus, 29, 202, 466.
Rail, Black,
Carolina, 431.
Light-footed, 346.
Louisiana Clapper, 176.
King, 176, 218, 234, 463.
Rail, Sora, 9, 15, 176, 213, 463.
Virginia, 15, 81, 176, 218, 219, 323, 431, 451, 463.
Yellow, 70, 176, 327.
Rallus crepitans saturatus, 176.
elegans, 176, 218, 234, 463.
jamaicensis, 365.
levipes, 346.
virginianus, 81, 176, 218, 431, 451, 463.
Raven, Northern, 71, 160, 231, 434.
Reagan, Albert B., the birds of the Rosebud Indian Reservation, South Dakota, 462–467.
Recurvirostra americana, 177, 473.
Redhead, 430.
Redpoll, 10, 72, 280, 439.
Lesser, 72.
Redstart, American, 8, 15, 20, 33, 51, 62, 211, 233, 423, 467.
Red-wing, Northern, 466.
Northwestern, 435.
Sonoran, 460.
Regulus calendula, 212, 424, 437 461.
calendula cinerascens, 398.
calendula grinnelli, 437.
satrapa, 63, 212, 424.
satrapa clarus, 240.
Reichenow, Ant., notice of his 'Vögel des Weltmeeres,' 337.
Remington, Charles H., and others, notice of their 'A Check-List of Rhode Island Nesting Birds,' 490.
Reservations for Birds, 498.
Rhaldornis inornata, 336.
Rhantistes, 399.
Rhinogryphus, 392.
Rhyacophilus, 346.
glareola, 346.
solitarius, 391.
Rhynchofalco, 392.
Rhynchophanes mccownii, 30.
Riddle, Oscar, notice of his 'A Study of Fundamental Bars in Feathers,' 98.

Ridgway, Robert, type locality of *Vireo pusillus*, 224; Red-spotted Bluethroat in Alaska, 226; notices of his second visit to Costa Rica, 248, 342.
Riley, J. H., notes on the Broad-winged Hawks of the West Indies, with description of a new form, 268–276.
Riparia riparia, 32, 45, 61, 73, 214, 229, 281, 439, 467.
Rissa tridactyla pollicaris, 429.
Road-runner, 458.
Robin, American, 1, 2, 7, 10, 14, 64, 74, 159, 213, 226, 424, 438, 467.
Western, 34, 55, 438, 467.
Rook, 348.
Rothschild, Walter, notice of his 'Extinct Birds,' 238–240.
Roughleg, Red, 452.
Ruff, 82.
Ryman, C. P., capture of the Flamingo at Lake Worth, Fla., 313.

SAGE, John H., Twenty-fifth Stated Meeting of the American Ornithologists' Union, 74–80.
Salpinctes guadeloupensis, 397.
obsoletus, 53, 461, 467.
obsoletus guadeloupensis, 397.
obsoletus pulverius, 350.
Samuels, Edward Augustus, obituary of, 341.
Sanderling, 178.
Sandpiper, Baird's, 70, 178, 234.
Bartramian, 15, 59, 179, 213, 328, 463, 473, 484.
Buff-breasted, 81, 179, 234.
Least, 178, 431.
Pectoral, 157, 158, 178, 284, 431, 463.
Red-backed, 178, 431.
Semipalmated, 70, 178.
Sharp-tailed, 431, 484.
Sandpiper, Solitary, 9, 134, 179, 198, 463.
Spotted, 3, 5, 9, 15, 59, 70, 134, 179, 198, 417, 432, 458, 463.
Stilt, 81.
Western, 157, 159, 160, 432.
White-rumped, 178, 198, 327, 328.
Wood, 346.
Sapsucker, Northern Red-breasted, 434.
Red-naped, 434.
Yellow-bellied, 8, 14, 60, 200, 235, 278, 418, 447, 465.
Sarcops calvus, 245.
Sarcorhamphus, 369.
papa, 369.
Sass, Herbert Ravenel, an interesting Audubon specimen, 228; the Snowy Heron in South Carolina, 313.
Saucerottea cyanura guatemalæ, 240.
Saunders, Aretas A., some birds of Central Alabama, 413–424.
Saunders, Howard, obituary of, 103.
Saunders, W. E., the Worm-eating Warbler in Ontario, 319.
Sayornis, 375.
phœbe, 60, 71, 201, 279, 465.
saya, 27, 459.
Scardafella inca, 92.
Scolecophagus cyanocephalus, 29.
Scolopax gallinago, 366.
grisea, 366.
semipalmatus, 367.
Scoter, American, 156, 431.
Surf, 69, 156, 184, 431.
White-winged, 69, 156, 184, 431.
Scotiaptex nebulosa, 71, 84, 234, 433.
Seiurus aurocapillus, 19, 50, 62, 210.
motacilla, 19, 210, 423, 467.
noveboracensis notabilis, 33, 50, 73, 210, 422, 487.

Selasphorus alleni, 434.
floresii, 353.
rufus, 159, 434.
Serrator, 390.
Seton, Ernest Thompson, bird records from Great Slave Lake Region, 68–74; recent bird records from Manitoba, 450–454.
Setophaga miniata, 354.
ruticilla, 20, 35, 51, 62, 68, 211, 233, 423, 467.
Shaw, William T., notice of his 'The China or Denny Pheasant in Oregon,' 241.
Shearwater, Audubon's, 472.
Black-vented, 485.
Dark-bodied, 156.
Pink-footed, 339.
Slender-billed, 485.
Shoveller, 325, 430, 463.
Shrike, Loggerhead, 286.
Migrant, 7, 207, 281.
Northern, 49, 73, 281, 436, 467.
White-rumped, 49, 461, 467.
Shufeldt, R. W., notice of his paper on the osteology of *Sarcops*, 245.
Sialia arctica, 55, 388, 454.
azurea, 388.
currucoides, 388.
mexicana, 438.
mexicana occidentalis, 94.
sialis, 64, 191, 213, 424, 467.
sialis azurea, 388.
sialis fulva, 388.
sialis grata, 398.
Sieberocitta, 394.
Simorhynchus, 357.
Siskin, Pine, 5, 10, 11, 15, 30, 61, 203, 328, 435, 473.
Sitta canadensis, 34, 63, 212, 233, 281, 437.
carolinensis, 63, 212, 424.
carolinensis aculeata, 54.
pusilla, 212, 424.
Skua, Long-tailed, 450.
Syklark, European, 287.
Smith, Horace G., random notes on the distribution of some Colorado birds, with additions to the State avifauna, 184–191.
Smyth, Ellison A., Jr., Nelson's Finch in the mountains of Virginia, 475.
Snipe, Wilson's, 8, 15, 70, 177, 213, 431.
Snow, Francis H., obituary of, 497.
Snowbird, 72.
Snowflake, 280, 435.
Solitaire, Townsend's, 54, 437.
Somateria dresseri, 390.
mollissima dresseri, 390.
Sora, 9, 15, 176, 213, 463.
Sparrow, Acadian Sharp-tailed, 319.
Aleutian Song, 380.
Bachman's, 205, 419.
Baird's, 31, 39.
Black-chinned, 460.
Brewer's, 42, 460.
California Sage, 349.
Chipping, 8, 14, 31, 41, 61, 137, 138, 204, 419, 466, 482.
Clay-colored, 31, 42.
Dakota, 31.
Desert, 460, 483.
Desert Song, 460.
English, 203, 419, 435, 353, 467, 474, 477.
Field, 14, 61. 204, 419, 477.
Fox, 14, 73, 206, 420.
Gambel's, 72.
Golden-crowned, 435.
Grasshopper, 203. 466.
Harris's, 40, 72, 82, 187.
Henslow's, 204, 230.
Hooded, 72.
House, 287.
Intermediate, 40, 460.
Ipswich, 288.
Kadiak Fox, 349.
Lark, 15, 204, 236, 476.
Lincoln's, 42, 73, 206, 483.
Mendocino Song, 349.

Sparrow, Nelson's, 84. 318, 353, 477.
Nuttall's, 435.
Rusty Song, 159, 160, 163, 164, 166, 435.
Sandwich, 438.
Savanna, 3, 8, 61, 114, 203, 223.
Song, 1, 2, 7, 42, 61, 137, 138, 206, 379, 420.
Sooty Fox, 159, 164, 165, 349, 436.
Sooty Song, 435.
Swamp, 9, 14, 61, 73, 135, 206, 281, 420.
Townsend's, 349, 439.
Tree, 4, 5, 7, 72, 214.
Vesper, 8, 14, 61, 203, 281, 419.
Western Chipping, 435.
Western Field, 196, 204, 466.
Western Grasshopper, 39.
Western Lark, 39.
Western Savanna, 31, 39, 72. 196, 203, 435, 466.
Western Tree, 40.
Western Vesper, 31, 39, 460.
White-crowned, 5, 8, 40, 204, 319.
White-throated, 3, 8, 11, 15, 61, 72, 91, 137, 204, 419.
Spatula clypeata, 325, 430, 463.
Speotyto cunicularia becki, 399.
cunicularia hypogæa, 26, 433, 443, 453, 465.
Sphyrapicus ruber, 393.
ruber daggetti, 393.
ruber notkensis, 434.
varius, 61, 200, 418, 447, 465.
varius nuchalis, 434.
Spinus pinus, 30, 203, 328, 435, 474
xanthogaster bryanti, 334.
Spiza americana, 188, 206, 454.
Spizella atrogularis, 460.
breweri, 42, 460.
monticola, 72, 214.
monticola ochracea, 40.
pallida, 31, 42.
passerina, 378.
Spizella passerina arizonæ, 378.
pusilla, 61, 419, 477.
pusilla arenacea, 204, 466.
socialis, 31, 41, 61, 204, 378, 419, 466.
socialis arizonæ, 435.
Spoonbill, Roseate, 173.
Sporophila crissalis, 493.
morelleti, 381.
morelleti sharpei, 381.
Squatarola squatarola, 180, 432.
Starling, European, 221, 279, 287.
Steganopus tricolor, 81, 177, 234, 326, 328.
Stelgidopteryx serripennis, 165, 207, 229, 420, 436, 454, 461.
Stellerocitta, 394.
Stellula caliope, 434.
Stercorarius longicaudus, 215, 450.
parasiticus, 69, 215, 429.
pomarinus, 438, 484.
Sterna anæstheta, 336.
caspia, 325, 327.
forsteri, 283, 325, 484.
fuliginosa, 358.
fuscata, 358.
fuscata crissalis, 346.
hirundo, 69, 429.
paradisæa, 69.
sandvicensis acuflavida, 312.
Stilt, Black-necked, 177, 457.
Stone, Witmer, *Glaucidium* vs. *Noctua*, a correction, 221; European Starling (*Sturnus vulgaris*) in Pennsylvania, New Jersey, and Delaware, 221; notice of his 'Methods of Recording and Utilizing Bird Migration Data,' 488–490.
Streptoceryle, 373.
Strigiceps leucopogon, 340.
Strigidæ, 290, 370.
Strix, 288–291, 370.
accipitrina, 290.
alba, 291, 370.
aluco, 289, 290, 370.

Strix flammea, 288–290, 370.
funerea, 371.
helvola, 316, 371.
magellanicus, 392.
newtoni, 340.
occidentalis, 371.
occidentalis caurina, 371.
pratincola, 21–25, 185, 232, 234, 286, 316, 442.
stridula, 290, 370.
tengmalmi, 372.
varia, 371.
varia albogilva, 316, 371.
varia alleni, 371.
wapacuthu, 393.
Sturnella magna, 202, 466.
magna argutula, 419.
magna neglecta, 29, 377, 435, 466.
neglecta, 377.
Sturnus vulgaris, 221, 279, 376.
Sula, 352, 359.
bassana, 486.
leucogastra, 359.
sula, 336, 359.
Surnia funerea, 393.
ulula, 393.
ulula caparoch, 17, 84, 235, 433.
ulula doliata, 393.
ulula pallasi, 393.
Swallow, 349.
Bank, 8, 15, 32, 45, 61, 73, 214, 229, 281, 436, 439, 467.
Barn, 4, 8, 15, 32, 44, 61, 73, 159, 164, 165, 207, 420, 467.
Cliff, 9, 15, 32, 44, 61, 73, 214, 436, 467.
Northern Violet-green, 45, 436, 461.
Rough-winged, 14, 15, 165, 207, 420, 436, 461.
Saw-winged, 454.
Tree, 2, 7, 14, 32, 45, 73, 85, 207, 482.
White-bellied, 436.
White-breasted, 73.
Swan, Trumpeter, 284, 326.
Whistling, 70, 217, 285, 306–309, 326, 431, 463.
Sweiger, Mrs. Jacob L., obituary of, 105.
Swift, Black, 434.
Black Cloud, 166.
Chimney, 3, 8, 15, 60, 201, 317, 418.
Vaux, 434.
White-throated, 459.
Sylvia agilis, 384.
magnolia, 383.
olivacea, 383.
Symphemia, 367.
semipalmata, 234.
semipalmata inornata, 179.
Synthliboramphus antiquus, 438.
Syrnium, 290.
nebulosum, 443.
nebulosum alleni, 443.
nebulosum helveolum, 316, 371.
ululans, 290.
varium, 59, 417, 452, 464.

Tachybaptus, 356.
Tachycineta thalassina lepida, 45, 436, 461, 480.
Tachytriorchis, 392.
Talpacotia, 301, 305.
Tanagra, 381.
cyanea, 380.
Tanager, Cooper's, 461.
Louisiana, 436.
Scarlet, 4, 8, 15, 61, 189, 206, 335, 420, 454, 467.
Summer, 206, 235, 420, 467.
Western, 97.
Tanagridæ, 381.
Tangara, 381.
Tangaridæ, 381.
Tangavius, 377.
æneus involucratus, 377.
involucratus, 377.
Tantalus, 37, 363.
loculator, 38, 363.

Tatler, Wandering, 157, 160.
Taverner, P. A., four rare birds in southeastern Michigan, 327; Wilson's Phalarope and White-rumped Sandpipers in Wayne Co., Mich., 328; two Ontario records, 328.
Teal, Blue-winged, 197, 430, 463.
Cinnamon, 69, 216, 463.
Green-winged, 69, 213, 430, 463.
Telmatodytes palustris, 321.
palustris iliacus, 212.
palustris paludicola, 437.
palustris thryophilus, 399.
Terenotriccus erythrurus fulvigula, 240.
Tern, American Black, 429.
Arctic, 69.
Black, 15, 215, 462.
Cabot's, 312.
Caspian, 325, 327.
Common, 15, 429.
Crissal Sooty, 345.
Forster's, 283, 325, 484.
Gull-billed, 234.
Noddy, 332.
Royal, 312.
Sooty, 332.
Test, Charles D., Cañon Wren in Colorado, 226.
Thalasseus, 389, 399.
Thalassidroma, 358.
castro, 358.
pelagica, 358.
Thalassogeron, 389.
Thayer, Abbott H., the Buffel-head Duck, 247.
Thrasher, Brown, 15, 34, 52, 62, 211, 423. 467.
Leconte's, 461.
Sage, 51, 461.
Thrush, Alaska Hermit, 483.
Alice's, 15.
Alma's, 34, 355.
Audubon's Hermit.
Bicknell's, 34, 63.
Thrush, Dwarf Hermit, 438.
Gray-cheeked, 9, 34, 54, 73, 212, 231, 424.
Hermit, 3, 8, 14, 64, 74, 213, 424, 467, 481.
Monterey Hermit, 351.
Olive-backed, 5, 9, 15, 54, 64, 74, 137, 213, 424, 483.
Russet-backed, 159, 437.
Sierra Hermit, 351, 483.
Varied, 438.
Willow, 34.
Wilson's, 8, 15, 63, 137, 214, 282, 424.
Wood, 15, 63, 91, 212, 424, 467.
Totanus flavipes, 70, 157, 179, 220, 432, 463.
melanoleucus, 179, 213, 432, 463.
melanoleucus frazari, 399.
Towhee, 14, 20, 206, 281.
Abert's, 460.
Arctic, 31, 42.
Cañon, 188.
Green-tailed, 224.
Oregon, 436.
Townsend, Charles W., on the status of Brewster's Warbler (*Helminthophila leucobronchialis*), 65–68; an American White-fronted Goose and Wilson's Phalarope in Essex County, Massachusetts, 80.
Toxostoma lecontei, 461.
redivivum helva, 397.
redivivum pasadense, 354.
rufum, 34, 52, 62, 211, 423.
Thryomanes bewickii, 87, 211, 423.
bewickii bairdi, 385.
bewickii calophonus, 437.
bewickii cerroensis, 397.
bewickii drymœcus, 397.
bewickii eremophilus, 397.
bewickii leucogaster, 190, 385, 397.
bewickii leucophrys, 397.

Thryomanes bewickii nesophilus, 397.
leucophrys, 397.
Thryorchilus ridgwayi, 334.
Thryothorus bairdi, 385.
bewickii leucogaster, 385.
ludovicianus, 53, 211, 324, 423.
Tiaris, 399.
Tinker, A. D., the Black-crowned Night Heron in Washtenaw County, Mich., 314; breeding of the Tufted Titmouse in Washtenaw County, Mich., 322.
Titmouse, Sennett's, 350.
Tufted, 14, 212, 322, 424.
Tree-duck, Fulvous, 485.
Treganza, A. O. [notes on *Ardea herodias treganzai*], 292–296.
Tringa acuminata, 431.
alba, 367.
canutus, 157, 178.
fulicaria, 365.
glareola, 346.
leucophæa, 367.
lobata, 365.
maculata, 463.
minuta, 367.
semipalmata, 367.
Tringoides, 391.
Trochilus, 399.
colubris, 60, 201, 418, 465.
violajugulum, 353.
Troglodytes aëdon, 62, 423.
aëdon aztecus, 34, 53, 211, 355, 467.
aëdon parkmani, 355, 437.
leucogaster, 384.
ochracea ligea, 334.
Trogon, 373.
strigilatus, 373.
underwoodi, 334.
viridis, 373.
Tryngites subruficollis, 81, 179.
Turdus felivox, 385.
iliacus, 387.
jamaicensis, 387.
lereboulleti, 387.
Turdus musicus, 387.
sequoiensis, 351.
Turkey, Wild, 198, 285, 417, 439.
Turnstone, 180.
Black, 157, 159, 160, 162, 164, 432.
Ruddy, 157, 160, 368.
Tympanuchus, 392.
americanus, 439, 464.
americanus attwateri, 439.
Tyrannus tyrannus, 27, 60, 201, 418, 434, 465.
verticalis, 27, 434, 459.

Uranomitra, 348.
salvini, 348.
Uria brevirostris, 357.
lomvia, 486.
troile californica, 429.
Uropelia, 301, 305.
Urubitinga, 369, 399.

Verdin, 461.
Vermivora, 399.
celata orestera, 396.
Viguacarbo, 390.
Vireo, 382.
bellii, 189, 214.
bellii arizonæ, 396, 461.
bellii medius, 350.
bellii pusillus, 383.
flavifrons, 421.
gilvus, 49, 61, 421.
gilvus swainsoni, 436.
griseus, 383.
griseus bermudianus, 383.
griseus maynardi, 383.
griseus micrus, 383.
huttoni, 396, 436.
huttoni cognatus, 350.
huttoni oberholseri, 399.
huttoni obscurus, 396.
mailliardorum, 396.
noveboracensis, 20, 207, 383, 421.
olivaceus, 20, 32, 49, 61, 73, 189, 421.

Vireo philadelphicus, 32, 487.
pusillus, 85, 224, 383.
pusillus albatus, 85.
solitarius, 61.
solitarius alticola, 327, 421.
solitarius cassini, 436.
vicinior, 189.
Vireo, Arizona, 461.
Bell's, 189, 214.
Blue-headed, 9, 61, 207.
California Least, 85.
Cassin's, 189, 436.
Frazar's, 350.
Gray, 189.
Hutton's, 436.
Mountain Solitary, 237, 421.
Philadelphia, 15, 32, 207, 487.
Red-eyed, 9, 14, 15, 20, 32, 49, 61, 73, 137, 189, 207, 421.
Solitary, 15.
Texas, 350.
Warbling, 4, 9, 49, 61, 214, 421.
Western Warbling, 436.
White-eyed, 20, 207, 421.
Yellow-throated, 15, 207, 421.
Vireosylva, 382.
calidris barbatula, 382.
flavoviridis, 382.
gilva, 214, 382.
gilva swainsoni, 382.
olivacea, 382.
philadelphica, 382.
Vultur papa, 369.
Vulture, Black, 199, 417, 440.
Turkey, 15, 199, 232, 315, 328, 417, 432, 440.

WALTER, Hubert Eugene, notice of his 'Theories of Bird Migration,' 329–333.
Warbler, Audubon's, 33, 164, 436, 461.
Bachman's, 196, 207, 421, 479.
Bay-breasted, 4, 9, 11, 12, 14, 209, 214.
Bell's, 354.
Warbler, Black and White, 3, 8, 12, 13, 33, 61, 190, 207, 231, 421.
Blackburnian, 8, 12, 13, 62, 210, 422.
Black-poll, 1, 4, 9, 10, 12, 14, 50, 62, 73, 209, 225, 422.
Black-throated Blue, 8, 11, 12, 62, 190, 422.
Black-throated Gray, 437.
Black-throated Green, 3, 9, 11, 12, 13, 62, 137, 210, 422.
Blue-winged, 16, 65, 208, 233, 328, 421.
Brewster's, 65–68, 86, 196, 208, 320, 354.
California Yellow, 350.
Cairns's, 237.
Canadian, 5, 8, 12, 13, 62, 211, 214, 423.
Cape May, 4, 9, 11, 12, 209, 479.
Cerulean, 12, 209, 238, 422.
Chestnut-sided, 9, 11, 12, 13, 16, 62, 209, 238, 422.
Cincinnati, 354.
Connecticut, 12, 281, 284.
Golden Pileolated, 437.
Golden-winged, 12, 65, 214, 284, 421.
Hooded, 12, 18, 211, 233, 423, 480.
Kentucky, 87, 210, 218, 320, 423.
Kirtland's, 12, 422, 480.
Lawrence's, 86, 354.
Lutescent, 159, 436.
Macgillivray's, 33, 437.
Magnolia, 8, 11, 12, 13, 62, 190, 209, 237, 283.
Mourning, 9, 12, 62, 210, 230, 282.
Myrtle, 4, 8, 11, 12, 14, 50, 62, 73, 137, 190, 209, 422, 436.
Nashville, 8, 12, 13, 33, 62, 137, 207, 421.
Northern Parula, 62.

Warbler, Orange-crowned, 33, 50, 421, 483.
Palm, 11, 12, 14, 214, 422.
Parula, 3, 8, 12, 421.
Pileolated, 437.
Pine, 11, 12, 197, 210, 422, 480.
Prairie, 12, 87, 210, 281, 422.
Prothonotary, 12, 14, 214, 230, 319, 320.
Swainson's, 225, 478.
Sycamore, 210.
Tennessee, 5, 9, 11, 12, 13, 14, 33, 73, 190, 209, 421.
Townsend's, 50, 437.
Western Parula, 190, 209.
Wilson's, 8, 12, 51, 73, 211, 423.
Worm-eating, 207, 319, 421.
Yellow, 3, 8, 11, 12, 14, 33, 50, 73, 159, 209, 422, 436, 467.
Yellow Palm, 422.
Yellow-throated, 422.
Ward, Henry L., occurrence of a Dovekie at Port Washington, Wis., 215; a black Robin and its albinistic tendencies, 226; Clarke's Nutcracker from Wisconsin, 318.
Warren, Edward R., notice of his 'Northwestern Colorado Bird Notes.' 492.
Water-thrush, 8.
Grinnell's, 33, 50, 73, 210, 422, 487.
Louisiana, 15, 19, 210, 423, 467.
Western, 73.
Wavey, Gray, 70.
Waxwing, Bohemian, 45–48, 436.
Cedar, 32, 48, 207, 421, 436.
Wayne, Arthur T., the breeding season of the American Barn Owl (*Strix pratincola*) in South Carolina, 21–25; Bewick's Wren (*Thryomanes bewickii*) on the coast of South Carolina, 87; the Cinnamon Teal (*Querquedula cyanoptera*) on the coast of South Carolina, 216; the Whistling Swan (*Olor columbianus*) in South Carolina, 217; three erroneus Georgia records, 229.
Whip-poor-will, 3, 15.
Whistler, 69.
Widmann, Otto, notice of his 'A Preliminary Catalog of the Birds of Missouri,' 89; another Clarke's Crow taken in Missouri, 222.
Willet, Eastern, 234.
Western, 179.
Williams, R. W., Jr., late occurrence of the Black-poll Warbler (*Dendroicu striata*) in the District of Columbia, 225.
Wilsonia canadensis, 5, 6, 62, 211, 214, 423.
citrina, 384.
mitrata, 18, 211, 384, 423, 480.
pusilla, 51, 211, 423.
pusilla chryseola, 437.
pusilla pileolata, 437.
Wiskajon, 71.
Wood, J. Claire, the Savanna Sparrow breeding in Detroit and Hamtramck Village, Mich., 223; corrections to 'A List of the Land birds of Southeastern Michigan,' 230; bird notes from southeastern Michigan, 324–327; Bartramian Sandpiper in Wayne Co., Mich., 473; the Kirtland and Pine Warblers in Wayne Co., Mich., 480.
Wood, Norman A., notes on the spring migration (1907) at Ann Arbor, Michigan, 10–15.
Woodcock, American, 59, 177, 220.
Woodpecker, American Three-toed, 60.
Arctic Three-toed, 59, 139, 434.
Cabanis's, 483.
Downy, 8, 59, 139, 199, 446, 465.
Gairdner's, 434.
Gila, 458.

Woodpecker, Hairy, 59, 139, 185, 199, 465.
Harris's, 433.
Ivory-billed, 445.
Lewis's, 434, 353.
Northern Pileated, 60, 200, 231, 434.
Pileated, 139, 418, 447, 475.
Red-bellied, 14, 201, 418, 447, 465.
Red-cockaded, 196, 200, 418, 446.
Red-headed, 9, 10, 26, 200, 279, 283, 418, 447, 465, 476.
Southern Downy, 418.
Southern Hairy, 418, 446.
Texas, 458.
Woodruff, E. Seymour, a preliminary list of the birds of Shannon and Carter Counties, Missouri, 191–214; another capture of a tagged duck, 216; a tame Field Sparrow, 477.
Worcester, Dean C., notice of his papers on Philippine ornithology by, 336.
Wren, Baird's, 190.
Bewick's, 87, 211, 423.
Cañon, 87, 226, 461.
Carolina, 53, 211, 324, 423, 480.
House, 3, 8, 14. 62, 423.
Long-billed Marsh, 15, 321.
Northwest Bewick's, 437.
Pacific House, 437.
Prairie Marsh, 212.
Rock, 53, 461, 467.
San Nicolas Rock, 350.
Short-billed Marsh, 229, 320, 423.
Wren, Tulé, 323, 437.
Western House, 53, 211, 467.
Western Winter, 164, 437.
Winter, 7, 14, 63, 211, 423.
Wren-tit, 351.
Wyman, L. E., the Prairie Warbler near Chicago, 87.

Xanthocephalus xanthocephalus, 28, 466.
Xema sabinii, 484.

Yellow-legs, Greater, 14, 179, 213, 432, 463.
Lesser, 70, 135, 157. 179, 220, 432, 463.
Yellowthroat, Maryland, 423.
Northern, 9, 15, 19, 62, 211.
Pacific Coast, 33, 437.
Western, 50, 461.

Zamelodia ludoviciana, 61, 206, 233, 420.
melanocephala, 32, 43, 228, 436.
Zenaidura carolinensis, 458.
macroura, 368, 417, 432, 440, 464.
macroura carolinensis, 368.
Zonotrichia, 224, 399.
albicollis, 40, 61, 72, 91, 204, 419.
coronata, 435.
gambeli, 72.
leucophrys, 31, 40, 204, 419.
leucophrys gambeli, 460.
leucophrys intermedia, 40.
leucophrys nuttalli, 435.
querula, 72, 82, 187.

## ERRATA.

Page 67, line 9 from bottom, for Richmond County read Richland County.
" 172, last line above the footnotes, for 1824 read 1842.
" 238, first line, for 'booted' read feathered.
" 312, line 11 from bottom, for August 22, 1904, read August 31, 1904, and August 4, 1906.

For additional corrections see page 250.